

Index to Volume 41

Authors and titles

- Abdoellah, T. M. *See* Balnave, D. 549
- Adams, N.R. *See* Murray, P. J. 185
- Aitchison, E. M. *See* Murray, P. J. 987
- Allsopp, P. G.—
Sequential sampling plans for nematodes affecting sugar cane in Queensland 351
- Alva, A. K., Asher, C. J., and Edwards, D. G.—
Effects of solution pH, external calcium concentration, and aluminium activity on nodulation and early growth of cowpea 359
- Anderson, W. K., and Smith, W. R.—
Yield advantage of two semi-dwarf compared with two tall wheats depends on sowing time 811
- Andrews, A. C. *See* Lambert, F. J. 367
- Archer, M. J. *See* O'Brien, L. 827
- Asher, C. J. *See* Alva, A. K. 359
- Atkins, C. A. *See* Pigeaire, J. S. 339
- Baker, G. A. *See* Cornish, P. S. 317
- Ballard, R. A., Simpson, R. J., and Pearce, G. R.—
Losses of the digestible components of annual ryegrass (*Lolium rigidum* Gaudin) during senescence 719
- Balnave, D., and Abdoellah, T. M.—
Self-select feeding of commercial pullets using a complete layer diet and a separate protein concentrate at cool and hot temperatures 549
- Balnave, D., and Oliva, A.—
Responses of finishing broilers at high temperatures to dietary methionine source and supplementation levels 557
- Balnave, D. *See also* Yoselewitz, I. 1187
- Bambach, R. W. *See* Ellison, P. J. 479
- Barlow, R. *See* Hennessy, D. W. 421
- Barris, H. D. *See* Meyer, W. S. 253; Tan, C. S. 267
- Bekes, F. *See* Metakovsky, E. V. 289
- Belford, R. K. *See* Siddique, K. H. M. 431
- Bellotti, W. D. *See* Lambert, F. J. 367
- Bennison, L. *See* Oram, R. N. 657
- Black, C. R. *See* Stirling, C. M. 633
- Black, J. L. *See* Colebrook, W. F. 957
- Blaikie, S. J., and Mason, W. K.—
Correlation of growth of the root and shoot systems of white clover after a period of water shortage and/or defoliation 891
- Blair, G. and Wilson, J.—
Phosphorus efficiency in pasture species. IV. Yield, efficiency parameters and partitioning of P in two white clover accessions under varying levels of P supply in solution culture 1071
- Blair, G. *See also* Catchpoole, D. W. 521, 531, 539
- Blum, A., and Pnuel, Y.—
Physiological attributes associated with drought resistance of wheat cultivars in a Mediterranean Environment 799
- Bower, M. *See* Lambert, F. J. 367
- Brake, V. M., Pegg, K. G., Irwin, J. A. G., and Langdon, P. W.—
Vegetative compatibility groups within Australian populations of *Fusarium oxysporum* f. sp. *cubense*, the cause of fusarium wilt of bananas (*Musa* spp.) 863
- Bremner, P. M., and Preston, G. K.—
A field comparison of sunflower (*Helianthus annuus*) and sorghum (*Sorghum bicolor*) in a long drying cycle. II. Plant water relations, growth and yield 463
- Brown, B. W., Mattner, P. E., Panaretto, B. A., Brown, G. H., Gream, B. D., and Honnery, R. L.—
Effect of mouse epidermal growth factor on fertility in rams 1147
- Brown, G. H. *See* Brown, B. W. 1147
- Brown, J. S. *See* O'Brien, L. 827
- Cameron, D. F. *See* Godwin, I. D. 645
- Cameron, D. M. *See* Eastham, J. 697, 709
- Campbell, L. C. *See* Heenan, D. P. 835
- Castleman, G. H. *See* Eason, P. J. 565
- Catchpoole, D. W., and Blair, G.—
Forage tree legumes. I. Productivity and N economy of leucaena, glicicidia, calliandra and sesbania and tree/green panic mixtures 521

- Catchpole, D. W., and Blair, G.—
Investigation of nitrogen transfer to an associated grass using a split-root technique 531
- Release of nitrogen from leaf, faeces and urine derived from leucaena and gliricidia leaf 539
- Chako, E. K. See Heard, T. A. 1101
- Chakraborty, S.—
Expression of quantitative resistance to *Colletotrichum gloeosporioides* in *Stylosanthes scabra* at different inoculum concentrations and day-night temperatures 89
- Chandrasekar, M., and Halloran, G. M.—
Variation in, and inheritance of, seedling and adult-plant resistance in subterranean clover (*Trifolium subterraneum* L.) to leaf scorch (*Kabatella caulivora* (Kirch.) Karak) 115
- Charles-Edwards, D. A. See Eastham, J. 697, 709
- Christian, K. R. See Davidson, J. L. 1
- Clarke, A. R.—
The control of *Nezara viridula* L. with introduced egg parasitoids in Australia. A review of a 'Landmark' example of classical biological control 1127
- Cocks, P. S.—
Dynamics of flower and pod production in annual medics (*Medicago* spp.).
I. In spaced plants 911
II. In swards at low and high density 923
- Colebrook, W. F., Black, J. L., Purser, D. B., Collins, W. J., and Rossiter, R. C.—
Factors affecting diet selection by sheep. V. Observed and predicted preference ranking for six cultivars of subterranean clover 957
- Collins, W. J. See Colebrook, W. F. 957
- Corbett, J. L. See Furnival, E. P. 969
- Cornish, P. S., Baker, G. A., and Murray, G. M.—
Physiological responses of wheat (*Triticum aestivum* L.) to infection with *Mycosphaerella graminicola* causing septoria tritici blotch 307
- Cottle, D. J.—
The derivation of economic values in breeding programs for Australian Merino sheep with changing wool prices and flock production averages 769
- Cullis, B. R. See Murray, G. M. 307
- Cullis, B. R. See Ellison, P. J. 479
- Cullis, B. See Hochman, Z. 669
- Currey, S. D. See Sun, Y. X. 401
- Davidson, J. L., Jones, D. B., and Christian, K. R.—
Winter feed production and grain yield in mixtures of spring and winter wheats compared with pure lines and pastures 1
- Davis, D. A. See Wheeler, J. L. 197
- Dill-Macky, R., Rees, R. G., and Platz, G. J.—
Stem rust epidemics and their effects on grain yield and quality in Australian barley cultivars 1057
- Dobbie, P. M. See Sainz, R. D. 733
- Drane, G. L. See Sun, Y. X. 401
- Eason, P. J., Johnson, R. J., and Castleman, G. H.—
The effects of dietary inclusion of narbon beans (*Vicia narbonensis*) on the growth of broiler chickens 565
- Eastham, J., and Rose, C. W.—
Tree/pasture interactions at a range of tree densities in an agroforestry experiment. I. Rooting patterns 683
- Eastham, J., Rose, C. W., Cameron, D. M., Rance, S. J., Talsma, T., and Charles-Edwards, D. A.—
Tree/pasture interactions at a range of tree densities in an agroforestry experiment
II. Water uptake in relation to rooting patterns 697
Tree/pasture interactions at a range of tree densities in an agroforestry experiment
III. Water uptake in relation to soil hydraulic conductivity and rooting patterns 709
- Edwards, D. G. See Alva, A. K. 359
- Ellis, K. J. See Furnival, E. P. 977
- Ellison, P. J., Cullis, B. R., Bambach, R. W., and Kable, P. F.—
The effect of temperature on *in vitro* germination and germ tube growth of urediniospores of *Tranzschelia discolor* 479
- Everett, B. K. See Hynd, P. I. 741
- Ewing, M. A., and Robson, A. D.—
The effect of nitrogen supply on the early growth and nodulation of several annual *Medicago* species 489
The effect of solution pH and external calcium concentration on the early

- growth and nodulation of several annual *Medicago* species 933
- Fenn, P. D., and Leng, R. A.—
The effect of bentonite supplementation on ruminal protozoa density and wool growth in sheep either fed roughage based diets or grazing 167
- Fischer, R. A. See Stapper, M. 997, 1021, 1043
- Fleet, M. R., and Smith, D. H.—
Pigmented fibres in white skirted fleece wool from piebald Merino sheep 155
- French, R. J.—
The contribution of pod numbers to field pea (*Pisum sativum* L.) yields in a short growing-season environment 853
- Fukai, S. See Santamaria, J. M. 51; Ludlow, M. M. 67
- Furnival, E. P., Corbett, J. L., and Inskip, M. W.—
Evaluation of controlled release devices for administration of chromium sesquioxide using fistulated grazing sheep. I. Variation in marker concentration in faeces 969
- Furnival, E. P., Ellis, K. J., and Pickering, F. S.—
Evaluation of controlled release devices for administration of chromium sesquioxide using fistulated grazing sheep. II. Variation in rate of release from the device 977
- Gilmour, A. R. See Williams, A. J. 573
- Godwin, I. D., Cameron, D. F., and Gordon, G. H.—
Variation among somaclonal progenies from three species of *Stylosanthes* 645
- Gooden, J. M. See Sun, Y. X. 401
- Gordon, G. H. See Godwin, I. D. 645
- Gream, B. D. See Brown, B. W. 1147
- Gupta, R. B. See Metakovsky, E. V. 289
- Halloran, G. M. See Chandrashekar, M. 115
- Hamblin, J. See Wilson, J. M. 619
- Hancock, T. W. See Silsbury, J. H. 101
- Hart, F. J., and Leibholz, J.—
The effect of species of grass, stage of maturity and level of intake on the degradation of protein and organic matter in the rumen of steers 791
- Heap, E. W. See Lodge, G. M. 941
- Heap, I. M., and Knight, R.—
Variation in herbicide cross-resistance among populations of annual ryegrass (*Lolium rigidum*) resistant to diclofop-methyl. 121
- Heard, T. A., Vithanage, V., and Chako, E. K.—
Pollination biology of cashew in the Northern Territory of Australia 1101
- Hedges, D. A. See Wheeler, J. L. 197; Oram, R. N. 657
- Heenan, D. P., and Campbell, L. C.—
The influence of temperature on the accumulation and distribution of manganese in two cultivars of soybean (*Glycine max* (L.) Merr.) 835
- Hennessy, D. W., Barlow, R., Williamson, P. J., Murison, R. D., and Herilhy, J. W.—
Feed intake, nitrogen retention and liveweight of Hereford and crossbred Hereford steers offered forage diets differing in digestibility and nitrogen content 421
- Hennessy, D. W., and Williamson, P. J.—
Feed intake and liveweight of cattle on subtropical native pasture hays.
I. The effect of urea 1169
II. The effect of urea and maize flour, or protected-casein 1179
- Henzell, R. G. See Radford, B. J. 79
- Herilhy, J. W. See Hennessy, D. W. 421
- Hill, M. J. See Oram, R. N. 657
- Hochman, Z., Osborne, G. J., Taylor, P. A., and Cullis, B.—
Factors contributing to reduced productivity of subterranean clover (*Trifolium subterraneum* L.) pastures on acidic soils 669
- Honnery, R. L. See Brown, B. W. 1147
- Hoskinson, R. M. See Sun, Y. X. 401
- Hunter, J. See Oram, R. N. 657
- Hynd, P. I., and Everett, B. K.—
Estimation of cell birth rate in the wool follicle bulb using colchicine metaphase arrest or DNA labelling with bromodeoxyuridine 741
- Inskip, M. W. See Furnival, E. P. 969
- Irwin, J. A. G. See Brake, V. M. 863
- James, P. J., Ponzoni, R. W., Walkley, J. R. W., and Whiteley, K. J.—
Genetic parameters for wool production

- and quality traits in South Australian Merinos of the Collinsville family group 583
- Johnson, K. G. See Sherwin, C. M. 781
- Johnson, R. J. See Eason, P. J. 565
- Jones, D. B. See Davidson, J. L. 1
- Jones, G. P. D. See Purvis, C. E. 243
- Kable, P. F. See Ellison, P. J. 479
- King, K. R., Stockdale, C. R., and Trigg, T. E.—
The effect of a blend of dietary unesterified and saturated long-chain fatty acids on the performance of dairy cows in mid-lactation 129
- Knight, R. See Heap, I. M. 121
- Lambert, F. J., Bower, M., Whalley, R. D. B., Andrews, A. C., and Bellotti, W. D.—
The effects of soil moisture and planting depth on emergence and seedling morphology of *Astrebala lappacea* (Lindl.) Domin. 367
- Langdon, P. W. See Brake, V. M. 863
- Lehner, N. D. See Sun, Y. X. 401
- Leibholz, J. See Hart, F. J. 791
- Leng, R. A. See Fenn, P. D. 167
- Leury, B. J., Murray, P. J., and Rowe, J. B.—
Effect of nutrition on the response in ovulation rate in Merino ewes following short-term lupin supplementation and insulin administration 751
- Lodge, G. M., Murison, R. D., and Heap, E. W.—
The effect of temperature on the hardseed content of some annual legumes grown on the northern slopes of New South Wales 941
- Longnecker, N., and Uren, N.—
Factors influencing variability in manganese contents of seeds, with emphasis on barley (*Hordeum vulgare*) and white lupins (*Lupinus albus*) 29
- Loss, S. P., Perry, M. W., and Anderson, W. K.—
Flowering times of wheats in south-western Australia: a modelling approach 213
- Ludlow, M. M., Santamaria, J. M., and Fukai, S.—
Contribution of osmotic adjustment to grain yield in *Sorghum bicolor* (L.) Moench under water-limited conditions. II. Water stress after anthesis 67
- Ludlow, M. M. See also Santamaria, J. M. 51
- McCaskill, M. R.—
An efficient method for generation of full climatological records from daily rainfall 595
- McDonald, G. K.—
The growth and yield of unculm and tillered barley over a range of sowing rates 449
- McDonald, G. K.—
A differential response of a two-row barley and a six-row barley to detillering under a restricted water regime 1065
- McDowell, G. H. See Sun, Y. X. 393; 401
- McGowan, A. A.—
Comparative growth of white clover sown into soils from old pastures and adjacent roadsides 1083
- McPhee, C. P., and Reichmann, K. G.—
A genetic analysis of lysosomal enzyme activities in Brahman cattle 205
- Marshall, D. R. See Stoddard, F. L. 277
- Martin, R. H. See Murray, G. M. 307
- Mason, W. K. See Blaikie, S. J. 891
- Mattner, P. E. See Brown, B. W. 1147
- Metakovsky, E. V., Wrigley, C. W., Bekes, F., and Gupta, R. B.—
Gluten polypeptides as useful genetic markers in Australian wheats 289
- Meyer, W. S., Tan, C. S., Barrs, H. D., and Smith, R. C. G.—
Root growth and water uptake by wheat during drying of undisturbed and repacked soil in drainage lysimeters 267
- Meyer, W. S. See also Tan C. S. 267
- Morton, R. See Wardhaugh, K. G. 1155
- Moss, H. J. See Randall, P. J. 603
- Muchow, R. C.—
Effect of high temperature on the rate and duration of grain growth in field-grown *Sorghum bicolor* (L.) Moench. 329
Effect of leaf nitrogen and water regime on the photosynthetic capacity of kenaf (*Hibiscus cannabinus* L.) under field conditions 845
- Mulcahy, C. See Wheeler, J. L. 1093
- Murison, R. D. See Hennessy, D. W. 421; 941
- Murray, G. M., Martin, R. H., and Cullis, B. K.—
Relationship of the severity of septoria tritici blotch of wheat to sowing time; rainfall at heading and average susceptibility of wheat cultivars in the area 307

- Murray, G. M. *See also* Cornish, P. S. 317
- Murray, P. J., Rowe, J. B., and Aitchison, E. M.—
The influence of protein quality on the effect of flavomycin on wool growth, liveweight change and rumen fermentation in sheep 987
- Murray, P. J., Rowe, J. B., Pethick, D. W., and Adams, N. R.—
The effect of nutrition on testicular growth in the Merino ram 185
- Murray, P. J. *See also* Leury, B. J. 751
- Neutze, S. A.—
Use of wool growth response to estimate escape of protein supplements from the rumen 761
- Nichols, D. G. *See* Taylor, B. K. 1115
- O'Brien, L., Brown, J. S., Panozzo, J. F., and Archer, M. J.—
The effect of stripe rust on the quality of Australian wheat varieties 829
- Oliva, A. *See* Balnave, D. 557
- Ong, C. K. *See* Stirling, C. M. 633
- Oram, R. N., Ridley, A. M., Hill, M. J., Hunter, J., Hedges, D. A., Standen, R. L., and Bennison, L.—
Improving the tolerance of *Phalaris aquatica* L. to soil acidity by introgression of genes from *P. arundinacea* L. 657
- Osborne, G. J. *See* Hochmann, Z. 669
- Panaretto, B. A. *See* Brown, B. W. 1147
- Panozzo, J. F. *See* O'Brien, L. 827
- Pate, J. S. *See* Pigeaire, J. S. 339
- Pearce, G. R. *See* Ballard, R. A. 719
- Pearson, C. J. *See* Shah, S. G. 901
- Pegg, K. G. *See* Brake, V. M. 863
- Peirce, J. R.—
Morphological and phenological variation in three populations of saffron thistle (*Carthamus lanatus* L.) from Western Australia 1193
- Perry, M. W. *See* Loss, S. P. 213; Siddique, K. H. M. 431
- Pethick, D. W. *See* Murray, P. J. 185
- Pickering, F. S. *See* Furnival, E. P. 977
- Pigeaire, A., Pate, J. S., and Atkins, C. A.—
Contrasting effects of rooting volume and aerial spacing on shoot morphology and reproductive performance of *Lupinus angustifolius* L. cv. Danja 339
- Platz, G. J. *See* Dill-Macky, R. 1057
- Pnuel, Y. *See* Blum, A. 799
- Ponzoni, R. W. *See* James, P. J. 583
- Preston, G. K. *See* Bremner, P. M. 463
- Price, T. V., and Williams, B. L.—
Studies of the severity and incidence of paspalum leaf blight 377
- Purser, D. B. *See* Colebrook, W. F. 957
- Purvis, C. E.—
Differential response of wheat to retained crop stubbles. I. Effect of stubble type and degree of decomposition 225
- Purvis, C. E., and Jones, G. P. D.—
Differential response of wheat to retained crop stubbles. II. Other factors influencing allelopathic potential; intraspecific variation, soil type, and stubble quantity 243
- Raadsma, H. W., and Wilkinson, B. R.—
Fleece rot and body strike in Merino sheep. IV. Experimental evaluation of traits related to greasy wool colour for indirect selection against fleece rot 139
- Radford, B. J., and Henzell, R. G.—
Temperature affects the mesocotyl and coleoptile length of grain sorghum genotypes 79
- Rance, S. J. *See* Eastham, J. 697; 709
- Randall, P. J., and Moss, H. J.—
Some effect of temperature regime during grain filling on wheat quality 603
- Rapp, G. G. *See* Wheeler, J. L. 1093
- Read, J. W. *See* Shah, S. G. 901
- Rees, R. G. *See* Dill-Macky, R. 1057
- Reichmann, K. G. *See* McPhee, C. P. 205
- Reis, P. J. *See* Wheeler, J. L. 197
- Ridley, A. M. *See* Oram, R. N. 657
- Robson, A. D., and Snowball, K.—
The effect of chlorsulfuron on the uptake and utilization of copper and zinc in wheat 19
- Robson, A. D. *See also* Ewing, M. A. 489; Scott, B. J. 499, 511; Ewing, M. A. 933
- Rose, C. W. *See* Eastham, J. 683, 697, 709
- Rossiter, R. C. *See* Colebrook, W. F. 957
- Rowe, J. B. *See* Murray, P. J. 185, 987; Leury, B. J. 751
- Sainz, R. D., Wolff, J. E., and Dobbie, P. M.—
Cimaterol reduces the responses of rat muscles to insulin and IGF-I 733

- Santamaria, J. M., Ludlow, M. M., and Fukai, S.—
Contribution of osmotic adjustment to grain yield in *Sorghum bicolor* (L.) Moench under water-limited conditions. I. Water stress before anthesis 51
- Santamaria, J. M. See also Ludlow, M. M. 67
- Scott, B. J., and Robson, A. D.—
Distribution of magnesium in subterranean clover (*Trifolium subterraneum* L.) in relation to supply 499
- Scott, B. J., and Robson, A. D.—
Changes in the content and form of magnesium in the first trifoliate leaf of subterranean clover under altered or constant root supply 511
- Sevilla, C. C. See Ternouth, J. H. 175, 413
- Shah, S. G., Pearson, C. J., and Read, J. W.—
Variability in habit, flowering and seed production within the Kangaroo Valley cultivar of *Lolium perenne* when grown in a range of environments 901
- Sherwin, C. M., and Johnson, K. G.—
Skin and abdominal temperatures recorded by data loggers attached to Merino sheep voluntarily staying out of shade 781
- Siddique, K. H. M., Tennant, D., Perry, M. W., and Belford, R. K.—
Water use and water use efficiency of old and modern wheat cultivars in a Mediterranean type environment 431
- Silbury, J. H., and Hancock, T. W.—
Growth responses of cultivars of subterranean clover to temperature, plant density and nitrate supply 101
- Simpson, R. J. See Ballard, R. A. 719
- Sinclair, S. E. See Sun, Y. X. 393
- Smith, D. H. See Fleet, M. R. 155
- Smith, R. C. G. See Meyer, W. S. 253; Tan, C. S. 267
- Smith, W. R. See Anderson, W. K. 811
- Snowball, K. See Robson, A. D. 19
- Standen, R. L. See Oram, R. N. 657
- Stapper, M., and Fischer, R. A.—
Genotype, sowing date and plant spacing influence on high-yielding irrigated wheat in southern New South Wales. I. Phasic development and canopy growth 997
- Stapper, M., and Fischer, R. A.—
Genotype, sowing date and plant spacing influence on high-yielding irrigated wheat in southern New South Wales. II. Growth, yield and nitrogen use 1021
- Stapper, M., and Fischer, R. A.—
Genotype, sowing date and plant spacing influence on high-yielding irrigated wheat in southern New South Wales. III. Potential yields and optimum flowering dates 1043
- Stirling, C. M., Williams, J. H., Black, C. R., and Ong, C. K.—
The effect of timing of shade on development, dry matter production and light-use efficiency in groundnut (*Arachis hypogaea* L.) under field conditions 633
- Stockdale, C. R. See King, K. R. 129
- Stoddard, F. L., and Marshall, D. R.—
Variability in grain protein in Australian hexaploid wheats 277
- Sun, Y. X., Sinclair, S. E., Wynn, P. C., and McDowell, G. H.—
Immunization against somatotropin release inhibiting factor increases milk yield in ewes 393
- Sun, Y. X., Drane, G. L., Currey, S. D., Lehner, N. D., Gooden, J. M., Hoskinson, R. M., Wynn, P. C., and McDowell, G. H.—
Immunization against somatotropin release inhibiting factor improves digestibility of food, growth and wool production of crossbred lambs 401
- Talsma, T. See Eastham, J. 697, 709
- Tan, C. S., Meyer, W. S., Smith, R. C. G., and Barrs, H. D.—
Alternative methods of estimating water deficit stress of wheat grown on undisturbed and repacked soil in drainage lysimeters 267
- Tan, C. S. See Meyer, W. S. 253
- Taylor, B. K., and Nichols, D. G.—
The phosphorus nutrition of the apple tree. III. Influence of phosphate timing treatments on the performance of Jonathan/MM104 apple trees in two years. 1115
- Taylor, P. A. See Hochman, Z. 669
- Tennant, D. See Siddique, K. H. M. 431
- Ternouth, J. H., and Sevilla, C. C.—
The effects of low levels of dietary phosphorus upon the dry matter intake and metabolism of lambs 175
Dietary calcium and phosphorus repletion of lambs 413
- Thornberry, K. J. See Williams, A. J. 573
- Trigg, T. E. See King, K. R. 129

- Uren, N. *See* Longnecker, N. 29
- Vithanage, V. *See* Heard, T. A. 1101
- Volkmar, K. M.—
The cereal cyst nematode (*Hererodera avenae*) on oats. I. Identification of attributes useful in early screening for tolerance to *H. avenae* 39
- Walcott, J. J. *See* Wheeler, J. L. 1093
- Walkley, J. R. W. *See* James, P. J. 583
- Wardhaugh, K. G., and Morton, R.—
The incidence of flystrike in sheep in relation to weather conditions, sheep husbandry and the abundance of the Australian sheep blowfly, *Lucilia cuprina* (Wiedemann) (Diptera: Calliphoridae) 1115
- Whalley, R. D. B. *See* Lambert, F. J. 367
- Wheeler, J. L., Davis, H. I., Hedges, D. A., and Reis, P. J.—
Effects of nutrition and paring on linear hoof growth in sheep 197
- Wheeler, J. L., Mulcahy, C., Walcott, J. J., and Rapp, G. G.—
Factors affecting the hydrogen cyanide potential of forage sorghum 1093
- White, P. F.—
Soil and plant factors relating to the poor growth of *Lupinus* species on fine-textured, alkaline soils—a review 871
- Whiteley, K. J. *See* James, P. J. 583
- Wilkinson, B. R. *See* Raadsma, H. W. 139
- Williams, A. J., Thornberry, K. J., and Gilmour, A. R.—
The activity of the thyroid glands in relation to genetic differences in wool production 573
- Williams, B. L. *See* Price, T. V. 377
- Williams, J. H. *See* Stirling, C. M. 633
- Williamson, P. J. *See* Hennessy, D. W. 421, 1169, 1179
- Wilson, E. J. *See* Blair, G. J. 1071
- Wilson, J. M., and Hamblin, J.—
The effects of fumigation, rotation with lupins, and nitrogen application on plant growth and common root rot of wheat at Geraldton, Western Australia 619
- Wolff, J. E. *See* Sainz, R. D. 733
- Wrigley, C. W. *See* Metakovsky, E. V. 289
- Wynn, P. C. *See* Sun, Y. X. 393, 401
- Yoselewitz, I., Zhang, D., and Balnave, D.—
The effect on egg shell quality of supplementing saline drinking water with sodium or ammonium bicarbonate 1187
- Zhang, D. *See* Yoselewitz, I. 1187